

GORCI

高旗绝缘科技（苏州）有限公司

GORCI INSULATION TECHNOLOGY(SUZHOU) CO.,LTD.

地址: 江苏省苏州市张家港市海坝路203号, 新联先进制造产业园15幢
Add: Building 15, Xinlian Advanced Manufacturing Industrial Park,
No. 203 Haiba Road, Zhangjiagang City, Jiangsu Province

邮箱(E-mail): joyhe@cfc-tools.com

电话(Tel): + (86) 0512 58716813

传真(Fax): + (86) 0512 58712988

手机(Phone): +86 18962283226

INSULATED TOOLS MANUFACTURER

专业绝缘工具生产制造商

GORCI



关于高旗

ABOUT GORCI

企业简介 BRIEF NTRODUCTION

高旗绝缘科技（苏州）有限公司成立于2018年，位于张家港大新镇——被誉为“中国五金之镇”。公司是一家专业生产绝缘手工具的制造商，始终秉持安全第一的理念。

公司拥有专业的加工生产线，以及独立的锻造、热处理和注塑生产线。在完善的产品制造及质量控制体系支持下，高旗开发了全系列通过VDE认证的绝缘手工具，包括扭矩扳手、钳子、扳手、螺丝刀、套筒、延长杆等，产品SKU超过500余个。目前公司持有十余张VDE/GS证书，是市场上取得VDE/GS认证绝缘手工具产品比较齐全的专业制造企业。

2025年，高旗内部实验室获得德国VDE实验室授权认证，获得了VDE-TDAP授权实验室的授权。实验室配备了VDE/GS认证的10kV高压循环测试线及各种实验设施，能够按照IEC 60900标准进行独立测试。这一先进能力确保每一件产品都符合最高的质量和电气安全标准。

高旗已通过BSCI社会责任审核，并获得ISO 9001和ISO 14001认证。Gorci致力于绿色可持续发展和社会责任，作为长期发展目标，并以“高旗绝缘-从安全开始”为核心理念。

BRIEF INTRODUCTION

企业简介

Established in 2018 and located in Daxin Town, Zhangjiagang — known as the "China Hardware Tool Town" — Gorci Insulation Technology (Suzhou) Co., Ltd. is a professional manufacturer specializing in insulated hand tools, with a foundational commitment to safety first.

The company operates professional machining lines, along with independent forging, heat treatment, and injection molding production lines. Supported by a comprehensive product manufacturing and quality control system, Gorci has developed a full range of VDE-certified insulated hand tools, including pliers, wrenches, screwdrivers, sockets, extension bars, torque wrenches, and more, covering over 500 SKUs. The company currently holds 10 VDE certificates, making it the supplier with the most certified insulated hand tool products in the market.

In 2025, Gorci's in-house laboratory was accredited by the German VDE, becoming the VDE-TDAP authorized laboratory. It is equipped with a 10kV high-voltage cycle testing line for VDE/GS certification and various experimental facilities, enabling independent testing in compliance with the IEC 60900 standard. This advanced capability ensures that every product meets the highest standards of quality and electrical safety.

Gorci has passed the BSCI social responsibility audit, and is certified with ISO 9001 and ISO 14001. Gorci is committed to green sustainability and social responsibility as long-term development goals, underpinned by its core principle of putting safety first.



检测设备
TESTING EQUIPMENT



高旗绝缘科技 GORCI INSULATION TECHNOLOGY

CATALOGUE 目录

02

Insulated Torque Wrench
绝缘扭矩扳手




04

Insulated Pliers
绝缘钳类



15

Insulated Screwdrivers
绝缘螺丝批



20

Insulated Wrench
绝缘扳手类



24

Insulated Assembly Tool
绝缘组合工具




33

Insulated Accessories
绝缘特种工具



38

Insulated Explosion-proof Tool
绝缘防爆工具



41

Insulated Tool Set
绝缘工具组套





Quality Assurance 品质保证

高旗绝缘科技 GORCI
INSULATION TECHNOLOGY



什么是VDE认证? What is VDE?

VDE测试和认证协会是在电器工程设备、部件和系统的测试和认证领域获得国际国内授权的机构。这些电器产品必须通过安全、电磁兼容性及其他性能方面的测试。

VDE Testing and Certification Institute is a renowned, authorised international certification institution for electric systems, equipment andelectric components testing and attestation. To acquire VDE certificate all tested electrical equipment must meet safety, electromag-
netic compability and other relevant standards.

安全提示 Safety Instructions

- 专业持证电工操作。To be used by certified professionals.
- 注意切断电源。Turn power supply off before using.
- 每次安检，不使用残损工具。Conduct tool inspection before use, refrain from using when damaged.
- 选用带VDE GS • 1000V标志工具作业。Choose only the tools marked with VDE GS • 1000V.
- 遵守安全生产规定作业。Follow the code of work safety.

高旗实验室是目前手工工具行业检测设备最为齐全、专业的实验室之一。可以对产品机械性能、塑料性能、产品极限、产品寿命、自然环境影响等进行全方位的测试和管控。

Currently, GORCI laboratory,in hand-made tools industry.has one of the most complete and professional testing equipment.We can,in aspectss,test,manage and control our products towards mechanica and plastic properties,products limits,product life span and natural enviromental impact etc.

绝缘工具性能检测
Insulation Tool Performance Test




1.介电测试 Dielectric Test
产品通过水下10000V高压电通测试，测试期间绝缘层无击穿、放电、闪络现象。
After storing tools underwater the 1000V test is conducted. During the test, no puncture, sparkover and flashover.




2.阻燃测试 Flame Retarancy test
使用工业级甲烷气体以20mm高度的火焰持续燃烧10s后移开，之后的20s时间内，火焰的燃烧高度，不超过120mm，试为阻燃合格。
The testing flame shall act upon the hand tool to be tested 10s. The test shall be considered as passed if the flame height on the hand tool does not exceed 120mm during the 20s of the observation period (withdraw of testing flame).



3.超低温冲击测试 Impact Test At Extreme Low Temperatures
产品置于零下40摄氏度环境下2小时，进行冲击试验，绝缘层无开裂和其他损坏发生。（跌落高度0.6米）
Hand tools of category “C” shall be conditioned in a cooling chamber for 2h at -40° C. After test , no breaks,exfoliation and cracks. (falling height 0.6 m).



4.绝缘层附着力测试 Adhesion Test
产品置于70度环境下168小时，在一定拉伸力载荷下保持3分钟，绝缘层不出现脱落或松弛现象。
The insulation must not come loose or slacken when under a tensile load for 3 minutes after 168 hours in a climatic chamber at +70° C.



5.压痕测试 Indentation Test
在70摄氏度环境下放置2小时，在工具手柄或杆的外部居中端施加20N力量后，进行介电测试。高压电通电3分钟，绝缘层无击穿或放电发生。
After being stored for 2 hours at a temperature of 70°C, with a pressure load of 20 N and a 3-minute measurement under 5,000 V, there must be no punctures or arcing in the insulation.



6.擦拭试验(标记的永久性)Marking Durability Test
首先使用浸水后的白色棉布在绝缘层印字标记处擦拭15秒后，再使用浸过异丙醇的白色棉布擦拭15秒，擦拭结束，标记清晰可读。
The marking is rubbed for 15 seconds with a rag soaked in water and then for 15 seconds with a rag soaked in isopropylalcohol. Afterward the marking shall still be legible.



INSULATED TORQUE WRENCH


绝缘扭矩扳手

注塑型绝缘扭矩扳手
INSULATED TORQUE WRENCH

 1000V C
IEC 60900

- 双向棘轮头，适合多角度更精细作业。
2-way ratchets head,good for small angle precision work.
- 精度误差：-/+4%，品质符合DIN ISO 6789标准以及BS EN IEC 60900:2018标准。
Accuracy of torque +/-4%,quality meets DIN ISO 6789 and BS EN IEC 60900:2018.
- 可视窗方便读取刻度。
Window dispaly, easy readable scale bwloe a window.
- 下拉手柄轻解锁进行扭矩设定，松开即锁定，清晰刻度线保障更精细的精度要求。
Easy torque-adjusting design,pull the handle down to "unlock"the wrench for torque setting,release handle to lock,scale lines provide dual assurance for accuracy requirements.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型 号 Item code		N · m	L(mm)	LW(mm)	B(mm)	H(mm)
★G1091405	1/4"	1-5	305	168	37.71	49.05
G1091425	1/4"	5-25	305	168	37.71	49.05
G1091825	3/8"	5-25	305	168	37.71	49.05
G1091850	3/8"	10-50	305	168	37.71	49.05
★G1091810	3/8"	20-100	305	200	38.46	47.06
G1091260	1/2"	10-60	390	200	37.71	49.05
G1091210	1/2"	20-100	390	305	38.46	47.06
★G1091220	1/2"	40-200	390	435	43.2	43.2



- 1.双向棘轮头，适合多角度更精细作业。
a) 2-way ratchets head,good for small angle precision work.
- 2.精度误差：-/+4%，品质符合DIN ISO 6789标准。
b) Accuracy of torque +/-4%,quality meets DIN ISO.



- 1.可视窗方便读取刻度。
a) window dispaly, easy readable scale bwloe a window .




- 1.下拉手柄轻解锁进行扭矩设定，松开即锁定，清晰刻度线保障更精细的精度要求。
a) Easy torque-adjusting design, pull the handle down to "unlock" the wrench for torque setting, release handle to lock, scale lines provide dual assurance for accuracy requirements.



INSULATED PLIERS
绝缘钳类

INSULATED HIGH LEVERAGE
COMBINATION PLIERS
双色绝缘注塑偏心钢丝钳



Force saving
25% 省力


1000V C
IEC 60900

双色绝缘注塑偏心钢丝钳
INSULATED HIGH LEVERAGE COMBINATION PLIERS

1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 采用新式改进型杠杆力矩设计, 省力25%。
25% less force required compared with traditional pliers,easier work due to advanced leverage design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010014	6" / 160mm	32	25	11.2
G1010015	7" / 180mm	36	28	12.5
G1010016	8" / 200mm	40	32	14.0

双色绝缘注塑偏心尖嘴钳
INSULATED HIGH LEVERAGE LONG SNIPE NOSE PLIERS

1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 采用新式改进型杠杆力矩设计, 省力25%。
25% less force required compared with traditional pliers,easier work due to advanced leverage design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010017	6" / 160mm	53	19	10.0
G1010018	8" / 200mm	80	22	12.0

双色绝缘注塑偏心斜口钳
INSULATED HIGH LEVERAGE DIAGONAL CUTTER

1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 采用新式改进型杠杆力矩设计, 省力25%。
25% less force required compared with traditional pliers,easier work due to advanced leverage design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010019	6" / 160mm	22	28	12

双色绝缘注塑大头斜嘴钳
INSULATED HEAVY DUTY DIAGONAL CUTTING PLIERS

1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄, 符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .



型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010020	7" / 180mm	22	29	10
G1010025	8" / 200mm	23	31	12

INSULATED BENT NOSE PLIERS


双色绝缘注塑弯嘴钳

双色绝缘注塑欧式钢丝钳
INSULATED COMBINATION PLIERS

   1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101003	6" / 160mm	32	25	11.2
G101007	7" / 180mm	36	28	12.5
G101009	8" / 200mm	40	32	14.0

双色绝缘注塑欧式尖嘴钳
INSULATED LONG NOSE PLIERS

   1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101001	6" / 160mm	53	19	10
G1010026	7" / 180mm	62	17.5	9
G1010010	8" / 200mm	80	22	12

双色绝缘注塑欧式斜嘴钳
INSULATED DIAGONAL CUTTER

   1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101002	6" / 160mm	22	28	12
G101008	7" / 180mm	25	32	14

双色绝缘注塑弯嘴钳
INSULATED BENT NOSE PLIERS

   1000V C
IEC 60900



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010012	6" / 160mm	53	19	10
G1010013	8" / 200mm	80	22	12

双色绝缘注塑圆嘴钳
INSULATED ROUND NOSE PLIERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101004	6" / 160mm	50	19	10

双色绝缘注塑扁嘴钳
INSULATED FLAT NOSE PLIERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101005	6" / 160mm	50	18	10

双色绝缘注塑剥线钳
INSULATED WIRE STRIPPERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G101006	6" / 160mm	36	23	10

双色绝缘注塑D4水泵钳
INSULATED WATER PUMP PLIERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)
G1010023	10" / 250mm

双色绝缘注塑电缆剪
INSULATED CABLE CUTTER



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)	mm ²
G1010021	6" / 160mm	22
G1010027	8" / 200mm	38
G1010022	10" / 250mm	80

双色绝缘注塑弯角大头斜嘴钳
INSULATED HEAVY DUTY DIAGONAL CUTTING PLIERS
WITH ANDLED HEAD



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
* G1010041	8" / 200mm	23	31	12

双色绝缘注塑快速调整水泵钳
INSULATED PUMP PLIERS WITH QUICK-ADJUST
TONGUE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 按压按钮即可快速调整开口大小。
Adjustable at the touch of a button directly on the workpiece.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)
G1010024	10" / 250mm

双色绝缘注塑快速调整钳式扳手
INSULATED PIPE WRENCHES



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC .




型 号 Item code	规格参数 Size (mm)
* G1010039	7" / 175mm
* G1010040	10" / 250mm

INSULATED CABLE SHEARS

双色绝缘注塑电缆钳剪

- 符合BS EN IEC 60900:2018标准。
According BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 适用于剪切较大直径金属导线、铜铝芯电缆。
Suitable for cutting metal wires and copper-aluminum core cables with large diameters.

型 号 Item code	L	⊕ mm²
★ G1010051	610	250
★ G1010052	810	500




INSULATED BOLT CUTTERS

双色绝缘注塑断线钳

- 符合BS EN IEC 60900:2018标准。
According BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 适用于剪切, 钢筋6mm 以下, 以及铜芯或铝芯电缆20mm 以下的规格。
Suitable for cutting steel bars below 6mm, copper-core or aluminum-core cables below 20mm.

型 号 Item code	L	钢筋 Rebar	⊕ 铜芯或铝芯 Copper and Aluminium Cable
★ G1010061	600	< 6mm	< 20mm



INSULATED PIPE
WRENCHES


双色绝缘注塑钳式扳手



注塑型双色绝缘塑料尖嘴钳
INSULATING PLASTIC LONG NOSE PLIERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 整体双色绝缘注塑工艺，符合人体工程学设计。
2-component insulated injection with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	L(mm)
G1010035	230

注塑型双色绝缘塑料钢丝钳
INSULATING PLASTIC COMBINATION PLIERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 整体双色绝缘注塑工艺，符合人体工程学设计。
2-component insulated injection with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	L(mm)
G1010036	180

双色绝缘注塑多功能钢丝钳
MULTI PURPOSE COMBINATION PLIER



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010032	8"	42	25	12.6

双色绝缘注塑多功能尖嘴钳
MULTI PURPOSE LONG NOSE PLIER



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010033	8"	57	21	11.8

双色绝缘注塑线夹
INSULATING PLASTIC CLAMP



- 符合VDE 0680-1 标准。
According to VDE 0680-1.
- 整体双色绝缘注塑工艺，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	L(mm)
G1010037	81

双色绝缘注塑线夹
INSULATING PLASTIC CLAMP



- 符合VDE 0680-1 标准。
According to VDE 0680-1.
- 整体双色绝缘注塑工艺，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	L(mm)
G1010038	155

双色绝缘注塑多功能斜嘴钳
MULTI PURPOSE DIAGONAL PLIER




- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型 号 Item code	规格参数 Size (mm)	L3 max.	W3 max.	T1 max.
G1010034	7"	28	25	12.2

双色绝缘注塑棘轮电缆剪
INSULATED RATCHET CABLE CUTTERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 用于剪切单股或多股铜铝电缆，不适用于钢丝及钢缆。
For and on multi strand copper and aluminium cable, not suitable for steel wire and wire ropes.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型 号 Item code	mm	mm²
★G1083236	32	240
★G1083260	52	380



INSULATED
SCREWDRIVERS
绝缘螺丝批

双色绝缘注塑一字螺丝批
INSULATED SLOTTED SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code						
G102001	0.4	2.5	2.5	75	85x28.5	160
G102002	0.5	3	3	75	85x28.5	160
G102003	0.5	3	3	100	85x28.5	185
G102004	0.8	4	4	100	100x33.5	200
G102005	1	5.5	5.5	125	100x33.5	225
G102006	1.2	6.5	6.5	150	110x36.5	260
G102007	1.6	8.0	8.0	175	120x37.5	295
*G1020018	1.6	8.0	8.0	200	120x23.7	320
*G1020019	1.6	8.0	8.0	250	120x24	370
*G1020020	1.6	8.0	8.0	300	120x24.4	420

双色绝缘注塑米字螺丝批
INSULATED POZIDRIV SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
G1020012	PZ0	3	60	85.5x19	146.5
G1020013	PZ1	5	80	100x33.5	180
G1020014	PZ2	6	100	110x36.5	210
G1020015	PZ3	8	150	120x37.5	270

双色绝缘注塑十字螺丝批
INSULATED PHILLIPS SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
G102008	PH0	3	75	85x28.5	160
G102009	PH1	5	80	100x33.5	180
G1020010	PH2	6	100	110x36.5	210
G1020011	PH3	8	150	120x37.5	270
*G1020021	PH3	8	200	120x24	270
*G1020022	PH3	8	250	120x24	270
*G1020023	PH3	8	300	120x24	270

双色绝缘注塑花型螺丝批
INSULATED SCREWDRIVER FOR TORX SCREWS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
G1023006	T6	3.0	75	85.6x19	
G1023007	T7	3.0	75	85.6x19	
G1023008	T8	3.0	75	85.6x19	
G1023009	T9	3.0	75	85.6x19	
G1023010	T10	3.0	75	85.6x19	
G1023015	T15	5.0	80	100x33.5	
G1023020	T20	5.0	100	100x33.5	
G1023025	T25	6.0	125	110x36.5	
G1023027	T27	6.0	125	110x36.5	
G1023030	T30	6.0	130	110x36.5	
G1023040	T40	8.0	175	120x37.5	
G1023045	T45	8.0	175	120x37.5	

双色绝缘注塑复合型螺丝批
INSULATED PLUS MINUS SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
G1026016		6	125	110x36.5	235
G1026017		6	125	110x36.5	235

双色绝缘注塑细杆一字螺丝批
INSULATED SLIM SLOTTED SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
*G1026001	0.6	3.5	100	85x28.5	185
*G1026002	0.8	4	100	100x33.5	200
*G1026003	1	5.5	125	100x33.5	225
*G1026004	1.2	6.5	150	110x36.5	260
*G1026005	1.6	8	175	120x37.5	295

双色绝缘注塑内六角螺丝批
INSULATED SCREWDRIVER FOR HEXAGON
SOCKET SCREWS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
*G1024025	2.5	3	75	85x28.5	160
*G1024003	3	4	100	110x36.5	200
*G1024004	4	5	100	110x36.5	200
*G1024005	5	6	100	110x36.5	210
*G1024006	6	8	150	120x37.5	270

双色绝缘注塑细杆十字螺丝批
INSULATED SLIM PHILLIPS SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
*G1026006	PH0	3.5	60	85x28.5	145
*G1026007	PH1	5	80	100x33.5	180
*G1026008	PH2	6	100	110x36.5	210
*G1026009	PH3	8	150	120x37.5	210

双色绝缘注塑细杆米字螺丝批
INSULATED SLIM POZIDRIV SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
*G1026010	PZ0	3.5	60	85x28.5	146.5
*G1026011	PZ1	5	80	100x33.5	180
*G1026012	PZ2	6	100	110x36.5	210
*G1026013	PZ3	8	150	120x37.5	270

双色绝缘注塑细杆花型螺丝批
INSULATED SLIM SCREWDRIVER FOR TORX
SCREWS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code				
*G1023005	T5	3.0	75	85x28.5
*G1023006	T6	3.0	75	85x28.5
*G1023007	T7	3.0	75	85x28.5
*G1023008	T8	3.0	75	85x28.5
*G1023009	T9	3.0	75	85x28.5
*G1023010	T10	3.0	75	85x28.5
*G1023015	T15	5.0	80	100x33.5
*G1023020	T20	5.0	100	100x33.5
*G1023025	T25	6.0	125	110x36.5
*G1023027	T27	6.0	125	110x36.5
*G1023030	T30	6.0	130	110x36.5
*G1023040	T40	8.0	175	120x37.5
*G1023045	T45	8.0	175	120x37.5

双色绝缘注塑螺丝帽螺丝批
INSULATED NUT DRIVER WITH SCREWDRIVER HANDLE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code					
G1021004	4	6.55	35	125	110x36.5
G1021005	5	6.55	35	125	110x36.5
*G1021055	5.5	6.55	35	125	110x36.5
G1021006	6	6.55	35	125	110x36.5
G1021007	7	6.55	35	125	110x36.5
G1021008	8	6.55	35	125	110x36.5
G1021009	9	8.60	35	125	110x36.5
G1021010	10	8.60	35	125	110x36.5
G1021011	11	8.60	35	125	110x36.5
G1021012	12	8.60	35	125	110x36.5
G1021013	13	8.60	35	125	110x36.5
G1021014	14	8.60	35	125	110x36.5

双色绝缘注塑1/4"批头螺丝帽螺丝批
INSULATED BIT DRIVER WITH SCREWDRIVER HANDLE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code				
G1022041	6.35	100	100x33.5	200



双色绝缘注塑T型螺丝帽螺丝批
INSULATED NUT DRIVER WITH T-HANDLE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code		 mm	 [mm]		
G1022004	4	6.55	36	127	100x28
G1022005	5	6.55	36	127	100x28
G1022055	5.5	6.55	36	127	100x28
G1022006	6	6.55	36	127	100x28
G1022007	7	6.55	36	127	100x28
G1022008	8	6.55	36	127	100x28
G1022009	9	8.6	36	127	100x28
G1022010	10	8.6	36	127	100x28
G1022011	11	8.6	36	127	100x28
G1022012	12	8.6	36	127	100x28
G1022013	13	8.6	36	127	100x28
G1022014	14	8.6	36	127	100x28

双色绝缘注塑十字精密螺丝批
INSULATED PHILLIPS PRECISION SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code		 mm	 [mm]		
*G1025006	PH00	2.5	50	96x16.5	147
*G1025007	PH0	2.5	50	96x16.5	147
*G1025008	PH1	3	50	96x16.5	147

双色绝缘注塑一字精密螺丝批
INSULATED SLOTTED PRECISION SCREWDRIVERS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

型号 Item code			 mm			
*G1025001	0.23	1.5	1.5	50	96x16.5	147
*G1025002	0.3	1.8	1.8	50	96x16.5	147
*G1025003	0.4	2	2	50	96x16.5	147
*G1025004	0.4	2.5	2.5	50	96x16.5	147
*G1025005	0.5	3	3	50	96x16.5	147

双色绝缘注塑花型精密螺丝批
INSULATED PRECISION SCREWDRIVER FOR TORX SCREWS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.


型号 Item code		 mm	 [mm]		
*G1025009	T6	2.5	50	96x16.5	147
*G1025010	T8	2.5	50	96x16.5	147
*G1025011	T10	3	50	96x16.5	147
*G1025012	T15	4	50	96x16.5	147
*G1025013	T20	4	50	96x16.5	147

INSULATED WRENCH
绝缘扳手类

双色绝缘注塑内六角扳手
INSULATED HEX KEY WRENCH



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L1(mm)	L2(mm)
G1075025	2.5	135	24
G1075003	3	135	24
G1075004	4	150	30.5
G1075005	5	175	34.5
G1075006	6	195	41
G1075008	8	215	46.5
G1075010	10	240	51.5
G1075012	12	275	58

双色绝缘注塑T型平头内六角扳手
INSULATED SCREWDRIVER FOR HEXAGON SOCKET
SCREWS WITH T-HANDLE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code			
*G1075325	2.5	125	100x28
*G1075303	3	125	100x28
*G1075304	4	125	100x28
*G1075305	5	125	100x28
*G1075306	6	125	100x28
*G1075308	8	125	100x28
*G1075310	10	125	100x28

双色绝缘注塑花型内六角扳手
INSULATED TORX WRENCH



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L1(mm)	L2(mm)
G1075110	T10	135	24
G1075115	T15	150	30.5
G1075120	T20	150	30.5
G1075125	T25	175	34.5
G1075127	T27	175	34.5
G1075130	T30	195	41
G1075140	T40	215	46.5
G1075145	T45	215	46.5
G1075150	T50	240	51.5
G1075155	T55	275	58

双色绝缘注塑T型球头内六角扳手
INSULATED SCREWDRIVER FOR HEXAGON SOCKET
SCREWS WITH T-HANDLE



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code			
*G1075225	2.5	125	100x28
*G1075203	3	125	100x28
*G1075204	4	125	100x28
*G1075205	5	125	100x28
*G1075206	6	125	100x28
*G1075208	8	125	100x28
*G1075210	10	125	100x28

双色绝缘注塑梅花扳手
INSULATED RING WRENCH



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)	A(mm)	B(mm)	H(mm)
*G1071006	6	150	7.5	14	15.5
*G1071007	7	152	7.5	15.5	15.5
G1071008	8	155	8	17	15.5
G1071009	9	162	9	18.5	16.5
G1071010	10	170	9	20	18.5
G1071011	11	180	10	22.5	19
G1071012	12	190	10	23.5	21
G1071013	13	186	11.5	24	21
G1071014	14	202	10.5	26	21
G1071015	15	202	12	27	21
G1071016	16	210	13	28.5	25
G1071017	17	212	12.5	30	22.5
G1071018	18	223	14	31.5	25.5
G1071019	19	222	15.5	33.5	28.5
G1071021	21	265	15.5	37.5	30.5
G1071022	22	263	15	37.5	30.5
*G1071023	23	270	16	39.5	30
G1071024	24	265	15.5	38.5	30
*G1071027	27	280	18.5	45	32
*G1071030	30	312	19.5	47.5	33.5
*G1071032	32	310	18.5	51.5	33.5

双色绝缘注塑开口扳手
INSULATED OPEN-END SPANNER



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)	A(mm)	B(mm)
G1072006	6	79	7.5	16.5
G1072007	7	88	7.5	21.5
G1072008	8	97.5	8	24
G1072009	9	105.5	8.5	26
G10720010	10	110.5	9	28
G10720011	11	124	9	30
G1072012	12	132.5	9.5	32
G10720013	13	141.5	10	34.5
G10720014	14	150.5	10	36.5
G10720015	15	159	10.5	38.5
G10720016	16	164	10.5	40
G10720017	17	177	11.5	42.5
G1072018	18	184	12	44.5
G10720019	19	195	12	47
G1072021	21	212	13	51
G10720022	22	221	13	53
G1072024	24	238	13.5	57
G1072027	27	264	14.5	63.5
G1072030	30	292	15	69.5
G1072032	32	309	16	73

双色绝缘注塑梅花棘轮扳手
INSULATED RATCHET RING WRENCH



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)	A(mm)
G1071107	7	125	21
G1071108	8	125	21
G1071109	9	135	23
G1071110	10	140	24
G1071111	11	145	26
G1071112	12	150	27
G1071113	13	150	29
G1071114	14	160	32
G1071115	15	170	33
G1071116	16	175	35
G1071117	17	190	37
G1071118	18	200	38
G1071119	19	205	39
G1071122	22	240	46
G1071124	24	270	53



双色绝缘注塑开口棘轮扳手
INSULATED OPEN-END RATCHET WRENCH

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)	A(mm)	B(mm)
*G1072108	8	115	8,5	24
*G1072109	9	125	9	25
*G1072110	10	135	9,5	26,5
*G1072111	11	140	10	28,5
*G1072112	12	145	10,5	30
*G1072113	13	155	11	33,5
*G1072114	14	165	11,5	36
*G1072115	15	175	12	39
*G1072116	16	185	12,5	40
*G1072117	17	200	13	43
*G1072118	18	215	14,5	45
*G1072119	19	220	14,5	49

双色绝缘注塑活动扳手
INSULATED ADJUSTABLE WRENCH



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L	
G104000	150	19
G104001	200	24
G104002	250	28
G104003	300	34
G104004	375	52

★德国VDE实验室认证中 / VDE Certificate is under approval



INSULATED
ASEMMBLY TOOL
绝缘组合工具


双色绝缘注塑棘轮套筒扳手
INSULATED REVERSIBLE RATCHETS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 双向棘轮功能，安全、快速锁定套筒。
2-way ratchet function, safe, quick-locking.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code	L(mm)	
G1073401	150	1/4" (6.3mm)
G1073402	200	3/8" (10.0mm)
G1073403	250	1/2" (12.5mm)



1/4" 单色注塑绝缘公制套筒
1/4" INJECTION VDE INSULATED SOCKET



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		D1(mm)	D2(mm)	L(mm)
G1051404	4	10	16	42
G1051405	5	11	16	42
G1051455	5.5	12	16	42
G1051406	6	12.5	16	42
G1051407	7	13.5	16	42
G1051408	8	16	16	42
G1051409	9	16.5	16	42
G1051410	10	17.5	16	42
G1051411	11	19	16	42
G1051412	12	19.5	16	42
G1051413	13	20.5	16	42
G1051414	14	23	16	42

3/8" 单色绝缘注塑公制套筒
3/8" INSULATED HEXAGON SOCKETS




- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item Code		D1(mm)	D2(mm)	L(mm)
G1051806	6	13.5	21	45
G1051807	7	14.5	21	45
G1051808	8	15.5	21	45
G1051809	9	16.5	21	45
G1051810	10	18	21	45
G1051811	11	19	21	45
G1051812	12	21.5	21	45
G1051813	13	22	21	45
G1051814	14	23.5	21	45
G1051815	15	24.5	21	45
G1051816	16	25.5	21	45
G1051817	17	27	21	45
G1051818	18	28	21	45
G1051819	19	29.5	21	45
G1051820	20	30.5	21	45
G1051821	21	31.5	21	45
G1051822	22	33.5	21	45

3/8" 单色绝缘注塑E型套筒
3/8" INSULATED E TYPE SOCKET BIT

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		D1(mm)	D2(mm)	L(mm)
*G1055208	E8	14	23.5	45
*G1055210	E10	15.5	23.5	45
*G1055211	E11	16.5	23.5	45
*G1055212	E12	17.5	23.5	45
*G1055214	E14	21	23.5	45
*G1055216	E16	23	23.5	45
*G1055218	E18	25	23.5	45
*G1055220	E20	27	23.5	45

3/8" 单色绝缘注塑公制加长套筒
3/8" INSULATED HEXAGON SOCKET, LONG VERSION




- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		D1(mm)	D2(mm)	L(mm)
G1055106	6	14.1	22	80
G1055107	7	14.4	22	80
G1055108	8	16.1	22	80
G1055109	9	17	22	80
G1055110	10	18.6	22	80
G1055111	11	19.1	22	80
G1055112	12	21.4	22	80
G1055113	13	21.4	22	80
G1055114	14	23.4	22	80
G1055115	15	25.4	22	80
G1055116	16	25.4	22	80
G1055117	17	27.4	22	80
G1055118	18	29.4	22	80
G1055119	19	29.4	22	80
G1055120	20	31.4	22	80
G1055121	21	31.4	22	80
G1055122	22	33.4	22	80
G1055124	24	35.4	22	80

1/2” 单色绝缘注塑公制套筒
1/2” INSULATED HEXAGON SOCKETS


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	⌀	D1(mm)	D2(mm)	L(mm)
G1051206	6	16.8	26.5	54.5
G1051207	7	16.8	26.5	54.5
G1051208	8	18.2	26.5	54.5
G1051209	9	18.2	26.5	54.5
G1051210	10	19.35	26.5	54.5
G1051211	11	20.5	26.5	54.5
G1051212	12	21.8	26.5	54.5
G1051213	13	23	26.5	54.5
G1051214	14	24.3	26.5	54.5
G1051215	15	26.8	26.5	54.5
G1051216	16	26.5	26.5	54.5
G1051217	17	27.8	26.5	54.5
G1051218	18	28.6	26.5	54.5
G1051219	19	29.8	26.5	54.5
G1051221	21	31.5	26.5	54.5
G1051222	22	33.7	26.5	54.5
G1051224	24	36.1	26.5	55
G1051227	27	40	26.5	57
G1051230	30	44	26.5	58.5
G1051232	32	46	26.5	58.8

1/2” 单色绝缘注塑十二角公制加长套筒
1/2” INSULATED HEXAGON SOCKET WITH
DOUBLE-HEX, LONG VERSION


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	⌀	D1(mm)	D2(mm)	L(mm)
★G1057110	10	18.9	27	94
★G1057112	12	21.4	27	94
★G1057113	13	22.4	27	94
★G1057114	14	23.9	27	94
★G1057117	17	27.2	27.2	94
★G1057119	19	29.2	27.2	94

1/2” 单色绝缘注塑公制加长套筒
1/2” INSULATED HEXAGON SOCKET, LONG VERSION


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	⌀	D1(mm)	D2(mm)	L(mm)
G1057408	8	18	26.5	93.5
G1057409	9	18	26.5	93.5
G1057410	10	19	26.5	93.5
G1057411	11	20	26.5	93.5
G1057412	12	21.8	26.5	93.5
G1057413	13	22.5	26.5	93.5
G1057414	14	23.8	26.5	93.5
G1057415	15	25	26.5	93.5
G1057416	16	25	26.5	93.5
G1057417	17	27	26.5	93.5
G1057418	18	29	26.5	93.5
G1057419	19	29	26.5	93.5
G1057420	20	31.2	26.5	93.5
G1057421	21	31.4	26.5	93.5
G1057422	22	33.2	26.5	93.5
G1057424	24	35.3	26.5	93.5
G1057427	27	39.3	26.5	93.5
G1057430	30	43.4	26.5	93.5
G1057432	32	45.2	26.5	93.5

1/4” 单色绝缘注塑H型公制旋具套筒
1/4” INSULATED SOCKET BIT


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	⌀	L(mm)
G1052403	H3	54
G1052404	H4	54
G1052405	H5	54
G1052406	H6	54
G1052408	H8	54

3/8” 单色绝缘注塑H型公制旋具套筒
3/8” INSULATED SOCKET BIT


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	⌀	L(mm)
G1052804	H4	74
G1052805	H5	74
G1052806	H6	74
G1052807	H7	74
G1052808	H8	74
G1052810	H10	74
★G1052812	H12	155

1/2” 单色绝缘注塑H型公制旋具套筒
1/2” INSULATED SOCKET BIT


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
G1052204	H4	81
G1052205	H5	81
G1052206	H6	81
G1052207	H7	81
G1052208	H8	81
G1052210	H10	81

1/4” 单色绝缘注塑T型公制旋具套筒
1/4” INSULATED SOCKET BIT FOR TORX SCREWS


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
G1052310	T10	54
G1052315	T15	54
G1052320	T20	54
G1052325	T25	54
G1052327	T27	54
G1052330	T30	54
G1052340	T40	54

3/8” 单色绝缘注塑T型公制旋具套筒
3/8” INSULATED SOCKET BIT FOR TORX SCREWS


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
G1052801	T10	74
G1052815	T15	74
G1052820	T20	74
G1052825	T25	74
G1052827	T27	74
G1052830	T30	74
G1052840	T40	74
G1052845	T45	74
G1052850	T50	74
G1052855	T55	74

1/2” 单色绝缘注塑加长T型公制旋具套筒
1/2” INSULATED SOCKET BIT FOR TORX SCREWS,
LONG VERSION


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
G1057310	T10	117
G1057315	T15	117
G1057320	T20	117
G1057325	T25	117
G1057327	T27	117
G1057330	T30	117
G1057340	T40	117
G1057345	T45	117
G1057350	T50	117
G1057355	T55	117

3/8” 单色绝缘注塑TS型旋具套筒
3/8” INSULATED SOCKET BIT FOR TS SCREWS


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)
★ G1055310	TS10	74
★ G1055315	TS15	74
★ G1055320	TS20	74
★ G1055327	TS27	75
★ G1055330	TS30	75
★ G1055340	TS40	75
★ G1055345	TS45	75
★ G1055350	TS50	75
★ G1055355	TS55	75

双色绝缘注塑T型扳手
INSULATED T-HANDLE WRENCH

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



3/8” 1/2”




1/4”



3/8” 单色绝缘注塑M型旋具套筒
3/8” INSULATED SOCKET BIT FOR M SCREWS


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
G1055406	6	75
G1055408	8	75
G1055410	10	75
G1055412	12	75

1/2"单色绝缘注塑加长公制旋具套筒
1/2” INSULATED HEXAGON SOCKET, LONG VERSION

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)
G1057204	4	117
G1057205	5	117
G1057206	6	117
G1057207	7	117
G1057208	8	117
G1057210	10	117

单色绝缘注塑延长接杆
INSULATED EXTENSION BAR

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code		L(mm)
G1061809	1/4”	75
G1061805	1/4”	100
G1061806	1/4”	150
G1061807	3/8”	50
G1061808	3/8”	100
G1061801	3/8”	125
G1061802	3/8”	250
G1061803	1/2”	125
G1061804	1/2”	250



3/8” 双色绝缘注塑公制套筒
3/8” INSULATED 2-LAYER HEXAGON SOCKET


- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		D1(mm)	D2(mm)	L(mm)
★G1151806	6	15.5	24	45
★G1151807	7	16.5	24	45
★G1151808	8	17.5	24	45
★G1151809	9	18.6	24	45
★G1151810	10	20.2	24	45
★G1151811	11	21.2	24	45
★G1151812	12	22.7	24	45
★G1151813	13	24	24	45
★G1151814	14	25.5	24	45
★G1151815	15	26	24	45
★G1151816	16	27.5	24	45
★G1151817	17	29	24	45
★G1151818	18	30.2	24	45
★G1151819	19	31.5	24	45
★G1151821	21	33.5	24	47
★G1151822	22	35.5	24	47

双色绝缘注塑延长接杆
INSULATED 2-LAYER EXTENSION BAR

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code		L(mm)
★G1161801	3/8”	125
★G1161802	3/8”	250

注塑型绝缘四用套筒扳手
INJECTION 4-WAY RIM WRENCH

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code					L(mm)
★20164003	13	14	17	19	230



INSULATED
ACCESSORIES
绝缘特种工具

双色绝缘注塑针尖镊子
INSULATED TWEEZERS,SHARP TIP

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L(mm)
★G1084001	135



双色绝缘注塑微尖镊子
INSULATED TWEEZERS,WIDE TIP

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L(mm)
★G1084002	160




双色绝缘注塑弯头镊子
INSULATED TWEEZERS,CURVED TIP

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L(mm)
★G1084003	155



双色绝缘注塑圆头镊子
INSULATED TWEEZERS,ROUND POINT

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L(mm)
★G1084004	145




单色绝缘注塑窥视镜
INSULATED MIRROR

- 镜面角度、手柄长度可调节，带伸缩设计。
Angle and flexible length for mirror adjustment,telescopic design.
- 狭小空间也可以精准折射，无压力作业。
Flawless refraction in tight spaces, effortless performance.



型号 Item code	规格参数 Size (mm)	L(mm) min.	L(mm) max.
G1085001	20	225	490
G1085002	30	235	500
G1085003	40	245	510



双色绝缘注塑剪刀
INSULATED SCISSORS



- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



双色绝缘注塑锯架
INSULATED HACKSAW

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



绝缘无回弹可换式锤
INSULATED HAMMER WITH REPLACEABLE INSERTS

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



绝缘自动夹紧滑套
SELF-CLAMPING SLIP-ON CAPS

- 用于保护带电的裸露电缆头。
To cover bare live cable ends




绝缘塑料滑套
PLASTIC SLIP-ON CAPS CONICAL


- 用于保护带电的裸露电缆头。
To cover bare live cable ends




型号 Item code	L(mm)	C(mm)
G1087001	160	51




型号 Item code	L(mm)
G1085001	150
G1085002	300



型号 Item code	D(mm)	L(mm)
G1086001	40	315



型号 Item code	Ø mm	L(mm)
G1081001	10	81
G1081002	20	102
G1081003	30	108



型号 Item code	Size	Ø mm	L(mm)
G1082001	1#	10	100
G1082002	2#	10	100
G1082003	3#	10	100



INSULATED CABLE KNIFE

双色绝缘注塑电缆刀

双色绝缘注塑圆头电缆刀
INSULATED CABLE KNIFE

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code	L	D
G103001	190	52

双色绝缘注塑小圆型电缆刀
INSULATED DISMANTLING KNIFE
FOR ROUND CABLES

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code	L	D
G103003	175	38

双色绝缘注塑钩镰型电缆刀
SICKLE SHAPED INSULATED CABLE KNIFE
WITH GUIDE SHOE

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L	D
G103005	185	45

双色绝缘注塑护套圆头电缆刀
INSULATED CABLE KNIFE WITH BLADE BACK

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code	L	D
G103002	195	57

双色绝缘注塑镰刀型电缆刀
INSULATED CABLE KNIFE WITH SICKLE SHAPED

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.




型号 Item code	L	D
G103004	195	60


双色绝缘注塑护套直平电缆刀
INSULATED CABLE KNIFE WITH BLADE BACK

 1000V C
IEC 60900

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 固定式刀片，附带安全刀套。
Fixed straight blade,with protective cap.
每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.



型号 Item code	L	D
G103006	185	50



INSULATED EXPLOSION-PROOF TOOL

绝缘防爆工具

- 符合BS EN IEC 60900:2018标准。
According to BS EN IEC 60900:2018.
- 绝缘双色注塑手柄，符合人体工程学设计。
2-component insulated injection handle with ergonomic design.
- 采用铝青铜、铍青铜专业防爆材质，确保工具在易燃易爆环境（如石油炼化、航空航天、军工领域等各种高危维修场景）中作业时不产生摩擦火花，从源头杜绝爆炸风险。
Made from specialized anti-spark materials such as aluminum bronze and beryllium bronze, these tools ensure no friction sparks are generated during use in flammable and explosive environments (e.g., petroleum refining, aerospace, military industry, and other high-risk maintenance scenarios), effectively eliminating explosion risks at the source.
- 每把经过10000V高压检测。
Each tool individually tested at 10000 V AC.

双色绝缘防爆一字螺丝批
INSULATED EXPLOSION-PROOF SLOTTED SCREWDRIVER




型号 Item code	规格参数 Size (mm)	
*E102001	SL3X75	
*E102002	SL5X125	
*E102003	SL6X150	
*E102004	SL8X175	
*E102008	SL3X75	
*E102009	SL5X125	
*E102010	SL6X150	
*E102011	SL8X175	

双色绝缘防爆十字螺丝批
INSULATED EXPLOSION-PROOF PHILLIPS SCREWDRIVER




型号 Item code	规格参数 Size (mm)	
*E102005	PH1X80	
*E102006	PH2X100	
*E102007	PH3X150	
*E102012	PH1X80	
*E102013	PH2X100	
*E102014	PH3X150	

双色绝缘防爆欧式斜嘴钳
INSULATED EXPLOSION-PROOF DIAGONAL CUTTER




型号 Item code	规格参数 Size (mm)	L(mm)
*E101001	6"	160
*E101002	7"	180

双色绝缘防爆欧式钢丝钳
INSULATED EXPLOSION-PROOF COMBINATION PLIERS




型号 Item code	规格参数 Size (mm)	L(mm)
*E101003	6"	160
*E101004	7"	180
*E101005	8"	200

双色绝缘防爆欧式尖嘴钳
INSULATED EXPLOSION-PROOF LONG NOSE PLIERS




型号 Item code	规格参数 Size (mm)	L(mm)
*E101006	6"	160
*E101007	7"	180
*E101008	8"	200

双色绝缘防爆活动扳手
INSULATED EXPLOSION-PROOF ADJUSTABLE WRENCH




型号 Item code	L(mm)
*E104000	150
*E104001	200
*E104002	250

3/8"双色绝缘防爆公制套筒
3/8"INSULATED EXPLOSION-PROOF HEXAGON SOCKETS



型号 Item code	规格参数 Size (mm)	L(mm)
*E1051806	6"	160
*E1051807	7"	180
*E1051808	8"	200
*E1051809	9"	220
*E1051810	10"	240
*E1051811	11"	260
*E1051812	12"	280
*E1051813	13"	300
*E1051814	14"	320
*E1051815	15"	340
*E1051816	16"	360
*E1051817	17"	380
*E1051818	18"	400
*E1051819	19"	420
*E1051820	20"	440
*E1051821	21"	460
*E1051822	22"	480

双色绝缘防爆内六角扳手
INSULATED EXPLOSION-PROOF HEX KEY WRENCH



型号 Item code	规格参数 Size (mm)	L1(mm)	L2(mm)
*E1041001	3	135	24
*E1041002	4	150	30.5
*E1041003	5	175	34.5
*E1041004	6	195	41
*E1041005	8	215	46.5
*E1041006	10	240	51.5
*E1041007	12	275	58

双色绝缘防爆开口扳手
INSULATED EXPLOSION-PROOF OPEN-END SPANNER



型号 Item code	规格参数 Size (mm)	L(mm)	A(mm)	B(mm)
*E1042001	6	79	7.5	16.5
*E1042002	7	88	7.5	21.5
*E1042003	8	97.5	8	24
*E1042004	9	105.5	8.5	26
*E1042005	10	110.5	9	28
*E1042006	11	124	9	30
*E1042007	12	132.5	9.5	32
*E1042008	13	141.5	10	34.5
*E1042009	14	150.5	10	36.5
*E1042010	15	159	10.5	38.5
*E1042011	16	164	10.5	40
*E1042012	17	177	11.5	42.5
*E1042013	18	184	12	44.5
*E1042014	19	195	12	47
*E1042015	21	212	13	51
*E1042016	22	221	13	53
*E1042017	24	238	13.5	57
*E1042018	27	264	14.5	63.5
*E1042019	30	292	15	69.5
*E1042020	32	309	16	73



EORCi

INSULATED TOOL SET

VDE绝缘工具组套

6件套绝缘工具组套
6PCS VDE Insulated Tool Set



型 号 Item code	G2010001			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101003	160mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104001	200mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102002	3.0x75mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1	
测电笔 Voltage Tester	/	3x140mm	1	

8件套绝缘工具组套
8PCS VDE Insulated Tool Set



型 号 Item code	G2010002			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101003	160mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102003	3.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1	

10件套绝缘工具组套
10PCS VDE Insulated Tool Set



型 号 Item code	G2010005			
双色绝缘注塑D4水泵钳 Insulated Water Pump Plier	G1010023	250mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑剥线钳 Insulated Wire Stripping Plier	G101006	160mm	1	
双色绝缘注塑护套电缆刀 Insulated Cable Knife With Blade Back	G103005	200mm	1	
双色绝缘注塑活动扳手 Insulated Adjustable Wrench	G104001	200mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdriver	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdriver	G1020010	PH2x100mm	1	
电压测试器 Voltage Tester	/	3x140mm	1	

7件套绝缘工具组套
7PCS VDE Insulated Tool Set



型 号 Item code	G2010008			
双色绝缘注塑梅花扳手 Insulated Ratchet Ring Spanner	G1071008	8mm	1	
	G1071009	9mm	1	
	G1071010	10mm	1	
	G1071011	11mm	1	
	G1071012	12mm	1	
	G1071013	13mm	1	
	G1071014	14mm	1	

8件套绝缘工具组套
8PCS VDE Insulated Tool Set



型 号 Item code	G2010003			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
	G102006	6.5x150mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1	
	G102009	PH1x80mm	1	
	G1020010	PH2X100mm	1	
	G1020011	PH3X150mm	1	

4件套绝缘工具组套
4PCS VDE Insulated Tool Set



型 号 Item code	G2010006			
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdriver	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdriver	G1020010	PH2x100mm	1	
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1	

7件套绝缘工具组套
7PCS VDE Insulated Tool Set



型 号 Item code	G2010009			
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1	
3/8"单色绝缘注塑公制加长套筒 3/8" Insulated Hexagon Socket,Long Version	G1055106	6mm	1	
	G1055108	8mm	1	
	G1055114	14mm	1	
	G1055117	17mm	1	
3/8"单色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1052806	6mm	1	
	G1052808	8mm	1	

10件套绝缘工具组套
10PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030001			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑护套圆头电缆刀 Insulated Cable Knife With Blade Back	G103002	195mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104001	200mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
非接触式电笔 Non-contact Voltage Detector	/	60-1000V	1	

25件套绝缘工具组套
25PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030002			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1	
	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	220mm	1	
双色绝缘注塑钩镰型电缆刀 Sickle Shaped Insulated Cable Knife With Guide Shoe	G103005	220mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072008	8mm	1	
	G10720010	10mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720015	15mm	1	
3/8"双色绝缘注塑T型扳手 3/8" Insulated T-handle Wrench	G10720017	17mm	1	
3/8"双色绝缘注塑T型扳手 3/8" Insulated T-handle Wrench	G1074820	200mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1	
	G1051810	10mm	1	
	G1051811	11mm	1	
	G1051812	12mm	1	
	G1051813	13mm	1	
	G1051814	14mm	1	
	G1051816	16mm	1	

31件套绝缘工具组套
31PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030003			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1	
	G102006	6.5x150mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1	
	G1020011	PH3x150mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072008	8mm	1	
	G10720010	10mm	1	
	G10720012	12mm	1	
	G10720014	14mm	1	
	G10720017	17mm	1	
3/8"双色绝缘注塑T型扳手 3/8" Insulated T-handle Wrench	G1074820	200mm	1	
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1	
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1	
	G1051810	10mm	1	
	G1051812	12mm	1	
	G1051813	13mm	1	
	G1051814	14mm	1	
	G1051816	16mm	1	
	G1051817	17mm	1	
	G1051818	18mm	1	
	G1051819	19mm	1	
	G1051821	21mm	1	
3/8"单色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1052804	H4	1	
	G1052805	H5	1	
	G1052806	H6	1	
	G1052808	H8	1	
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1	
非接触式电笔 Non-contact Voltage Detector	/	60-1000V	1	

24件套绝缘工具组套
24PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030004			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
1/2"双色绝缘注塑T型扳手 1/2" Insulated T-handle Wrench	G1074220	250mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1	
	G10720011	11mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720017	17mm	1	
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10mm	1	
	G1051211	11mm	1	
	G1051212	12mm	1	
	G1051213	13mm	1	
	G1051214	14mm	1	
	G1051217	17mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G1051219	19mm	1	
	G102003	3.0x75mm	1	
	G102004	4.0x100mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102005	5.5x125mm	1	
	G102008	PH0x75mm	1	
	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
	G1020011	PH3x150mm	1	

20件套绝缘工具组套
20PCS VDE Insulated Tool Set

1000V C
IEC 60900



型号 Item code	G2030005		
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104002	250mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072006	6mm	1
	G1072007	7mm	1
	G1072008	8mm	1
	G1072009	9mm	1
	G10720010	10mm	1
	G10720011	11mm	1
	G10720012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720015	15mm	1
	G10720016	16mm	1
	G10720017	17mm	1
	G10720018	18mm	1
	G10720019	19mm	1
	G10720021	21mm	1
	G10720024	24mm	1
	G10720027	27mm	1
	G10720030	30mm	1
	G10720032	32mm	1

20件套绝缘工具组套
20PCS VDE Insulated Tool Set

1000V C
IEC 60900



型号 Item code	G2030006		
1/2"双色绝缘注塑棘轮套筒扳手 1/2"Insulated Ratchet Wrench	G1073403	250mm	1
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061804	250mm	1
1/2"双色绝缘注塑T型扳手 1/2" Insulated T-handle Wrench	G1074220	200mm	1
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10mm	1
	G1051211	11mm	1
	G1051212	12mm	1
	G1051213	13mm	1
	G1051214	14mm	1
	G1051216	16mm	1
	G1051217	17mm	1
	G1051218	18mm	1
	G1051219	19mm	1
	G1051221	21mm	1
	G1051222	22mm	1
	G1051224	24mm	1
	G1051227	27mm	1
	G1052204	H4	1
1/2"注塑单色绝缘注塑H型公制旋具套筒 1/2" Insulated Bit Socket for Hexagon Screws	G1052205	H5	1
	G1052206	H6	1
	G1052208	H8	1

19件套绝缘工具组套
19PCS VDE Insulated Tool Set

1000V C
IEC 60900



型号 Item code	G2030007		
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑剥线钳 Insulated Wire Stripping Plier	G101006	160mm	1
双色绝缘注塑护套直平电缆刀 Insulated Cable Knife With Blade Back	G103006	220mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1
	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1
	G10720012	12mm	1
	G10720014	14mm	1
	G10720017	17mm	1
	G10720019	19mm	1
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104002	250mm	1
绝缘胶带 Insulating Electrical Tape	/	10m	1
测电笔 Voltage Tester	/	3x140mm	1

25件套绝缘工具组套
25PCS VDE Insulated Tool Set

1000V C
IEC 60900



型号 Item code	G2030008		
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101008	180mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102003	3.0x100mm	1
	G102005	5.5x125mm	1
	G102006	6.5x150mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x175mm	1
	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑米字螺丝批 Insulated Pozidriv Screwdrivers	G1020013	PZ1x80mm	1
	G1020014	PZ2x100mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072008	8mm	1
	G10720010	10mm	1
	G10720012	12mm	1
	G10720013	13mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	220mm	1
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
	G1061802	250mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1
	G1051809	9mm	1
	G1051810	10mm	1
	G1051811	11mm	1
	G1051812	12mm	1
	G1051813	13mm	1

18件套绝缘工具组套
18PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030009		
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1
	G10720012	12mm	1
	G10720014	14mm	1
	G10720017	17mm	1
	G10720019	19mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102003	3.0x100mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1
	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1
双色绝缘注塑剥线钳 Insulatded Diagonal Cutting Plier	G101006	160mm	1
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104001	200mm	1
测电笔 Voltage Tester	/	3x140mm	1

29件套绝缘工具组套
29PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030010		
1/2"单色绝缘注塑公制加长套筒 1/2" Insulated Hexagon Long Sockets	G1057410	10mm	1
	G1057412	12mm	1
	G1057413	13mm	1
	G1057414	14mm	1
	G1057417	17mm	1
	G1057419	19mm	1
	G1057422	22mm	1
	G1057204	4mm	1
	G1057205	5mm	1
	G1057206	6mm	1
1/2"单色绝缘注塑加长公制旋具套筒 1/2" Insulated Long Socket Bit	G1057208	8mm	1
	G1057210	10mm	1
	G10720010	10mm	1
	G10720012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720017	17mm	1
	G104001	200mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101008	180mm	1
双色绝缘注塑欧式钢丝钳 Insulatded Diagonal Cutting Plier	G101009	200mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1
1/2"双色绝缘注塑T型扳手 1/2" Insulated Injection T-handle Wrench	G1074220	200mm	1
测电笔 Voltage Tester	/	3x140mm	1

20件套绝缘工具组套
20PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030011		
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051806	6mm	1
	G1051808	8mm	1
	G1051810	10mm	1
	G1051811	11mm	1
	G1051812	12mm	1
	G1051813	13mm	1
	G1051814	14mm	1
	G1051816	16mm	1
	G1051817	17mm	1
	G1051818	18mm	1
	G1051819	19mm	1
	G1051821	21mm	1
	G1051822	22mm	1
	G1052804	H4	1
	G1052805	H5	1
3/8"双色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1052806	H6	1
	G1052808	H8	1
	G1074820	200mm	1
	G1073402	200mm	1
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061802	250mm	1

14件套绝缘工具组套
14PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030012		
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
	G102006	6.5x150mm	1
	G102009	PH1x80mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1
	G1020011	PH3x150mm	1
测电笔 Voltage Tester	/	3x140mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	220mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101003	160mm	1
双色绝缘注塑剥线钳 Insulatded Diagonal Cutting Plier	G101006	160mm	1
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104000	150mm	1

29件套绝缘工具组套
29PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030013			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104001	200mm	1	
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1	
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1	
	G1061804	250mm	1	
1/2"双色绝缘注塑T型扳手 1/2" Insulated Injection T-handle Wrench	G1074220	200mm	1	
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10mm	1	
	G1051211	11mm	1	
	G1051212	12mm	1	
	G1051213	13mm	1	
	G1051214	14mm	1	
	G1051216	16mm	1	
	G1051217	17mm	1	
	G1051218	18mm	1	
	G1051219	19mm	1	
	G1051221	21mm	1	
	G1051222	22mm	1	
	G1051224	24mm	1	
1/2"单色绝缘注塑加长公制旋具套筒 1/2" Insulated Long Socket Bit	G1051227	27mm	1	
	G1057204	4mm	1	
	G1057205	5mm	1	
	G1057206	6mm	1	
	G1057208	8mm	1	

23件套绝缘工具组套
23PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030014			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720008	8mm	1	
	G10720010	10mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1	
	G1051810	10mm	1	
	G1051812	12mm	1	
	G1051813	13mm	1	
	G1051814	14mm	1	
	G1051815	15mm	1	
	G1051816	16mm	1	
	G1051817	17mm	1	
	G1051818	18mm	1	
	G1051819	19mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104002	250mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1	
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1	
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1	
	G1061802	250mm	1	

25件套绝缘工具组套
25PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030015			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720007	7mm	1	
	G10720008	8mm	1	
	G10720010	10mm	1	
	G10720012	12mm	1	
	G10720014	14mm	1	
双色绝缘注塑钩镰型电缆刀 Sickle Shaped Insulated Cable Knife With Guide Shoe	G10720017	17mm	1	
	G103005	200mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051807	7mm	1	
	G1051808	8mm	1	
	G1051810	10mm	1	
	G1051812	12mm	1	
	G1051814	14mm	1	
	G1051816	16mm	1	
	G1051817	17mm	1	
	G1051819	19mm	1	
	G1051822	22mm	1	
	G1074820	200mm	1	
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1	
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1	
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1	
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1	

15件套绝缘工具组套
15PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030016			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
	G102006	6.5x150mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720017	17mm	1	
测电笔 Voltage Tester	G10720019	19mm	1	
	/	3x140mm	1	
	/			
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	220mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	

20件套绝缘工具组套
20PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030017			
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1	
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1	
	G1051809	9mm	1	
	G1051810	10mm	1	
	G1051811	11mm	1	
	G1051812	12mm	1	
	G1051813	13mm	1	
3/8"单色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1051814	14mm	1	
	G1052804	H4	1	
	G1052805	H5	1	
	G1052806	H6	1	
3/8"单色绝缘注塑T型公制旋具套筒 3/8" Insulated Bit Socket for Torx Screws	G1052808	H8	1	
	G1052820	T20	1	
	G1052825	T25	1	
	G1052827	T27	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	

15件套绝缘工具组套
15PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030018				
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1		
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1		
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1061804	250mm	1		
	G1051210	10mm	1		
	G1051211	11mm	1		
	G1051212	12mm	1		
	G1051213	13mm	1		
	G1051214	14mm	1		
	G1051217	17mm	1		
	G1051219	19mm	1		
	G1051222	22mm	1		
	G1051224	24mm	1		
	G1051227	27mm	1		
	G1051230	30mm	1		
	G1051232	32mm	1		

14件套绝缘工具组套
14PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030019			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
	G102006	6.5x150mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
	G1020011	PH3x150mm	1	
测电笔 Voltage Tester	/	3x140mm	1	
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	220mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1	
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101003	160mm	1	
双色绝缘注塑剥线钳 Insulatded Diagonal Cutting Plier	G101006	160mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104000	160mm	1	

39件套绝缘工具组套
39PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030020			
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102002	3x75mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1	
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104001	200mm	1	
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1	
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1	
	G1061804	250mm	1	
1/2"双色绝缘注塑T型扳手 1/2" Insulated Injection T-handle Wrench	G1074220	200mm	1	
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051212	12mm	1	
	G1051213	13mm	1	
	G1051214	14mm	1	
	G1051216	16mm	1	
	G1051217	17mm	1	
	G1051219	19mm	1	
	G1051222	22mm	1	
	G1051224	24mm	1	
	G1051227	27mm	1	
	G1051230	30mm	1	
1/2"单色绝缘注塑公制旋具套筒 1/2" Insulated Socket Bit	G1052204	H4	1	
	G1052205	H5	1	
1/2"单色绝缘注塑加长公制旋具套筒 1/2" Insulated Long Socket Bit	G1057206	H6	1	
	G1057208	H8	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1	
	G10720011	11mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720017	17mm	1	
	G10720019	19mm	1	
双色绝缘注塑梅花扳手 Insulated Ratchet Ring Spanner	G1071014	14mm	1	
	G1071017	17mm	1	
	G1071019	19mm	1	
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1	
绝缘胶带 Insulated Tape	/	10mm	1	
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1	
测电笔 Voltage Tester	/	3x140mm	1	

39件套绝缘工具组套
39PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030021		
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1
	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑花型螺丝批 Insulated Torx Screwdrivers	G1023020	T20x100	1
	G1023025	T25x125	1
	G1023027	T27x125	1
双色绝缘注塑批头螺丝帽螺丝批 Insulated Bits Screwdriver	G1023030	T30x130	1
	G1022041	6.35	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072008	8mm	1
	G10720010	10mm	1
	G10720012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720016	16mm	1
	G10720017	17mm	1
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G10720019	19mm	1
	G1073402	200mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1
	G1051808	8mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051810	10mm	1
	G1051811	11mm	1
	G1051812	12mm	1
	G1051813	13mm	1
	G1051814	14mm	1
	G1051817	17mm	1
	G1051819	19mm	1
3/8"单色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1052804	H4	1
	G1052805	H5	1
	G1052806	H6	1
	G1052808	H8	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1
单色绝缘浸塑塑料自动夹紧滑套 Self-clamping Slip On Caps	G1081001	10mm	1
	G1081002	20mm	1

29件套绝缘工具组套
29PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030022		
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
	G102006	6.5x150mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101008	180mm	1
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1
双色绝缘注塑活动扳手 Insulated Adjustable Wrench	G104001	200mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1
测电笔 Voltage Tester	/	3x140mm	1
	G10720010	10mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720017	17mm	1
	G10720019	19mm	1
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1
	G1061803	125mm	1
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061804	250mm	1
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10mm	1
	G1051212	12mm	1
	G1051213	13mm	1
	G1051214	14mm	1
	G1051217	17mm	1
	G1057204	4mm	1
	G1057205	5mm	1
1/2"单色绝缘注塑加长公制旋具套筒 1/2" Insulated Long Socket Bit	G1057206	6mm	1
	G1057208	8mm	1

27件套绝缘工具组套
27PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030023		
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072007	7mm	1
	G1072008	8mm	1
	G10720010	10mm	1
	G10720012	12mm	1
	G10720014	14mm	1
	G1071007	7mm	1
双色绝缘注塑梅花扳手 Insulated Ring Wrench	G1071008	8mm	1
	G1071010	10mm	1
	G1071012	12mm	1
	G1071014	14mm	1
	G1051807	7mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1
	G1051810	10mm	1
	G1051812	12mm	1
	G1051814	14mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
	G1061802	250mm	1
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1
3/8"双色绝缘扭矩扳手 3/8" Insulated Torque Wrench	G1091825	5-25 N.m	1
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1
3/8"单色绝缘注塑公制加长套筒 3/8" Insulated Long Socket Bit	G1055110	10mm	1
	G102009	PH1x80mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G1020010	PH2x100mm	1
	G1020011	PH3x150mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1
	G102003	3x100mm	1
	G102006	6.5x150mm	1

23件套绝缘工具组套
23PCS VDE Insulated Tool Set

1000V C
IEC 60900



型 号 Item code	G2030024		
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072007	7mm	1
	G1072008	8mm	1
	G10720010	10mm	1
	G1072012	12mm	1
	G10720014	14mm	1
双色绝缘注塑梅花扳手 Insulated Ring Wrench	G1071007	7mm	1
	G1071008	8mm	1
	G1071010	10mm	1
	G1071012	12mm	1
	G1071014	14mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051807	7mm	1
	G1051808	8mm	1
	G1051810	10mm	1
	G1051812	12mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
	G1061802	250mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G1020011	PH3x150mm	1
	G102001	2.5x75mm	1
	G102003	3x100mm	1



型 号 Item code	G2030025		
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G101001	160mm	1
双色绝缘注塑欧式斜口钳 Insulatded Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101007	180mm	1
双色绝缘注塑剥线钳 Insulatded Diagonal Cutting Plier	G101006	160mm	1
双色绝缘注塑电缆剪 Insulatded Cable Cutter	G1010021	160mm	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G103001	200mm	1
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1



型 号 Item code	G2030025		
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102002	3x75mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
	G102006	6.5x150mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1
	G102009	PH1x80mm	1
	G1020010	PH2x100mm	1
	G1023010	T10x75mm	1
双色绝缘注塑花型螺丝批 Insulated Torx Screwdrivers	G1023015	T15x80mm	1
	G1023020	T20x100mm	1
	G1023025	T25x125mm	1
	G1023030	T30x130mm	1
测电笔 Voltage Tester	/	3x140mm	1



型 号 Item code	G2030025		
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051808	8mm	1
	G1051809	9mm	1
	G1051810	10mm	1
	G1051811	11mm	1
	G1051812	12mm	1
	G1051813	13mm	1
	G1051814	14mm	1
	G1051815	15mm	1
	G1051816	16mm	1
	G1051817	17mm	1
	G1051818	18mm	1
	G1051819	19mm	1
	G1051821	21mm	1
	G1051822	22mm	1
3/8"单色绝缘注塑H型公制旋具套筒 3/8" Insulated Bit Socket for Hexagon Screws	G1052804	H4	1
	G1052805	H5	1
	G1052806	H6	1
	G1052808	H8	1
100根扎丝 100pcs Cable Tie	/	200mm	1
双色绝缘注塑批头螺丝帽螺丝批 Insulated Bits Screwdriver	G1022041	6.35	1
31件套批头盒 31Pcs Bits	/	/	1
双色绝缘注塑水泵钳 Insulatded Groove Joint Plier	G1010023	250mm	1



型 号 Item code	G2030025		
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720008	8mm	1
	G10720010	10mm	1
	G10720011	11mm	1
	G10720012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720015	15mm	1
	G10720016	16mm	1
	G10720017	17mm	1
	G10720018	18mm	1
	G10720019	19mm	1




型 号 Item code	G2050005			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1	
双色绝缘注塑电缆剪 Insulated Cable Cutter	G1010021	160mm	1	
双色绝缘注塑D4水泵钳 Insulated Water Pump Plier	G1010023	250mm	1	
双色绝缘注塑护套直平电缆刀 Insulated Cable Knife With Blade Back	G103006	200mm	1	
双色绝缘注塑活动扳手 Insulated Adjustable Wrench	G104002	250mm	1	
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1	
测电笔 Voltage Tester	/	3x140mm	1	
绝缘胶带 Insulating Electrical Tape	/	14m	1	
1/2"双色绝缘注塑棘轮套筒扳手 1/2"Insulated Ratchet Wrench	G1073403	250mm	1	
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1	
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061804	250mm	1	

型 号 Item code	G2050005			
双色绝缘注塑梅花扳手 Insulated Ratchet Ring Spanner	G1071010	10mm	1	
	G1071013	13mm	1	
	G1071014	14mm	1	
	G1071017	17mm	1	
	G1071019	19mm	1	
	G1071021	21mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720010	10mm	1	
	G10720011	11mm	1	
	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720017	17mm	1	
	G10720019	19mm	1	
	G10720021	21mm	1	
	G10720022	22mm	1	
	G10720024	24mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102002	3.0x75mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
	G102006	6.5x150mm	1	
	G102007	8.0x175mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	
	G1020011	PH3x150mm	1	
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10	1	
	G1051211	11	1	
	G1051212	12	1	
	G1051213	13	1	
	G1051214	14	1	
	G1051216	16	1	
	G1051217	17	1	
	G1051218	18	1	
	G1051219	19	1	
	G1051221	21	1	
	G1051222	22	1	
	G1051224	24	1	


型 号 Item code	G2060001			
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1051210	10mm	1	
	G1051211	11mm	1	
	G1051212	12mm	1	
	G1051213	13mm	1	
	G1051214	14mm	1	
	G1051216	16mm	1	
	G1051217	17mm	1	
	G1051219	19mm	1	
	G1051221	21mm	1	
	G1051222	22mm	1	
	G1051224	24mm	1	
1/2"单色绝缘注塑H型公制旋具套筒 1/2" Insulated Bit Socket for Hexagon Screws	G1052204	H4	1	
	G1052205	H5	1	
	G1052206	H6	1	
	G1052208	H8	1	
	G1052210	H10	1	
	G1051808	8mm	1	
	G1051810	10mm	1	
	G1051812	12mm	1	
	G1051813	13mm	1	
	G1051814	14mm	1	
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1051816	16mm	1	
	G1051817	17mm	1	
	G1051818	18mm	1	
	G1071008	8mm	1	
	G1071010	10mm	1	
	G1071012	12mm	1	
	G1071013	13mm	1	
	G1071014	14mm	1	
	G1071015	15mm	1	
	G1071016	16mm	1	
	G1071017	17mm	1	
	G1071018	18mm	1	
	G1071019	19mm	1	
	G1071021	21mm	1	
	G1071022	22mm	1	
	G1071024	24mm	1	
	G1072008	8mm	1	
	G10720010	10mm	1	
双色绝缘注塑梅花扳手 Insulated Ratchet Ring Spanner	G10720012	12mm	1	
	G10720013	13mm	1	
	G10720014	14mm	1	
	G10720015	15mm	1	
	G10720016	16mm	1	
	G10720017	17mm	1	
	G10720018	18mm	1	
	G10720019	19mm	1	
	G10720021	21mm	1	
	G10720022	22mm	1	
	G10720024	24mm	1	
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G10720015	15mm	1	
	G10720016	16mm	1	
	G10720017	17mm	1	
	G10720018	18mm	1	
	G10720019	19mm	1	
	G10720021	21mm	1	
	G10720022	22mm	1	
	G10720024	24mm	1	



型 号 Item code	G2060001			
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1	
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1	
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1	
双色绝缘注塑圆头电缆刀 Insulated Cable Knife With Blade Back	G103001	208mm	1	
双色绝缘注塑活动扳手 Insulated Adjustable Wrench	G104001	200mm	1	
1/2"双色绝缘注塑T型扳手 1/2" Insulated T-handle Wrench	G1074220	200mm	1	
1/2"双色绝缘注塑棘轮套筒扳手 1/2"Insulated Ratchet Wrench	G1073403	250mm	1	
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1	
	G1061804	250mm	1	
3/8"双色绝缘注塑棘轮套筒扳手 3/8"Insulated Ratchet Wrench	G1073402	200mm	1	
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1	
	G1061802	250mm	1	
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102003	3.0x100mm	1	
	G102004	4.0x100mm	1	
	G102005	5.5x125mm	1	
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102008	PH0x75mm	1	
	G102009	PH1x80mm	1	
	G1020010	PH2x100mm	1	



型 号 Item code	G2060002		
双色绝缘注塑欧式钢丝钳 Insulated Combination Plier	G101009	200mm	1
双色绝缘注塑欧式斜口钳 Insulated Diagonal Cutting Plier	G101002	160mm	1
双色绝缘注塑欧式尖嘴钳 Insulated Long Nose Plier	G1010010	200mm	1
双色绝缘注塑剥线钳 Insulated Wire Stripping Plier	G101006	160mm	1
双色绝缘注塑电缆剪 Insulated Cable Cutter	G1010021	160mm	1
双色绝缘注塑D4水泵钳 Insulated Water Pump Plier	G1010023	250mm	1
双色绝缘注塑一字螺丝批 Insulated Slotted Screwdrivers	G102001	2.5x75mm	1
	G102004	4.0x100mm	1
	G102005	5.5x125mm	1
	G102006	6.5x150mm	1
双色绝缘注塑十字螺丝批 Insulated Phillips Screwdrivers	G102007	PH0x75mm	1
	G102008	PH1x80mm	1
	G102009	PH2x100mm	1
	G1020010	PH3x150mm	1



型 号 Item code	G2060002		
双色绝缘注塑螺丝帽螺丝批 Insulated Nut Driver With Screwdriver Handle	G1021004	4mm	1
	G1021005	5mm	1
	G1021006	6mm	1
	G1021007	7mm	1
	G1021008	8mm	1
	G1021009	9mm	1
	G1021010	10mm	1
	G1021012	12mm	1
双色绝缘注塑内六角扳手 Insulated Hex Key Wrench	G1021013	13mm	1
	G1021014	14mm	1
	G1075003	3mm	1
	G1075004	4mm	1
	G1075005	5mm	1
	G1075006	6mm	1
	G1075008	8mm	1
	G1075010	10mm	1
双色绝缘注塑梅花扳手 Insulated Ratchet Ring Spanner	G1075012	12mm	1
	G1071008	8mm	1
	G1071010	10mm	1
	G1071011	11mm	1
	G1071012	12mm	1
	G1071013	13mm	1
	G1071014	14mm	1
	G1071016	16mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1071017	17mm	1
	G1071018	18mm	1
	G1071019	19mm	1
	G1071021	21mm	1
	G1071022	22mm	1
	G1071024	24mm	1
	G1072008	8mm	1
	G10720010	10mm	1
双色绝缘注塑开口扳手 Insulated Single Open-End Spanner	G1072012	12mm	1
	G10720013	13mm	1
	G10720014	14mm	1
	G10720015	15mm	1
	G10720016	16mm	1
	G10720017	17mm	1
	G1072018	18mm	1
	G10720019	19mm	1
	G1072021	21mm	1
	G10720022	22mm	1
	G1072024	24mm	1
	G1051406	6mm	1
	G1051407	7mm	1
	G1051408	8mm	1
	G1051409	9mm	1
	G1051410	10mm	1
1/4"单色绝缘注塑公制套筒 1/4" Insulated Hexagon Sockets	G1051411	11mm	1
	G1051412	12mm	1
	G1051413	13mm	1
	G1052403	H3	1
	G1052404	H4	1
	G1052405	H5	1
	G1052406	H6	1
	G1052408	H8	1
1/4"单色绝缘注塑H型公制旋具套筒 1/4" Insulated Bit Socket for Hexagon Screws	G1052820	T20	1
	G1052825	T25	1
	G1052830	T30	1
	G1052840	T40	1
	G1055408	M8	1
	G1055410	M10	1
	G1055412	M12	1



型 号 Item code	G2060002		
1/4"双色绝缘注塑棘轮套筒扳手 1/4" Insulated Ratchet Wrench	G1073401	150mm	1
1/4"单色绝缘注塑延长接杆 1/4" Insulated Extension Bar	G1061805	100mm	1
1/4"单色绝缘注塑公制套筒 1/4" Insulated Hexagon Sockets	G1061806	150mm	1
	G1051406	6mm	1
	G1051407	7mm	1
	G1051408	8mm	1
	G1051409	9mm	1
	G1051410	10mm	1
	G1051411	11mm	1
	G1051412	12mm	1
1/4"单色绝缘注塑H型公制旋具套筒 1/4" Insulated Bit Socket for Hexagon Screws	G1051413	13mm	1
	G1052403	H3	1
	G1052404	H4	1
	G1052405	H5	1
	G1052406	H6	1
	G1052408	H8	1
双色绝缘注塑活络扳手 Insulated Adjustable Wrench	G104002	250mm	1
3/8"双色绝缘注塑棘轮套筒扳手 3/8" Insulated Ratchet Wrench	G1073402	200mm	1
3/8"双色绝缘注塑T型扳手 3/8" Insulated Injection T-handle Wrench	G1074820	200mm	1
3/8"单色绝缘注塑延长接杆 3/8" Insulated Extension Bar	G1061801	125mm	1
3/8"单色绝缘注塑公制套筒 3/8" Insulated Hexagon Sockets	G1061802	250mm	1
	G1051808	8mm	1
	G1051810	10mm	1
	G1051812	12mm	1
	G1051813	13mm	1
	G1051814	14mm	1
	G1051817	17mm	1
	G1051819	19mm	1
3/8"单色绝缘注塑T型公制旋具套筒 3/8" Insulated Bit Socket for Torx Screws	G1051822	22mm	1
	G1052820	T20	1
	G1052825	T25	1
	G1052830	T30	1
	G1052840	T40	1
	G1055408	M8	1
	G1055410	M10	1
	G1055412	M12	1
3/8"单色绝缘注塑M型旋具套筒 3/8" Insulated Socket Bit For M Screws			



型 号 Item code	G2060002		
1/2"双色绝缘注塑棘轮套筒扳手 1/2" Insulated Ratchet Wrench	G1073403	250mm	1
1/2"双色绝缘注塑T型扳手 1/2" Insulated Injection T-handle Wrench	G1074220	200mm	1
1/2"单色绝缘注塑延长接杆 1/2" Insulated Extension Bar	G1061803	125mm	1
1/2"单色绝缘注塑公制套筒 1/2" Insulated Hexagon Sockets	G1061804	250mm	1
	G1051210	10mm	1
	G1051212	12mm	1
	G1051213	13mm	1
	G1051214	14mm	1
	G1051215	15mm	1
	G1051216	16mm	1
	G1051217	17mm	1
	G1051218	18mm	1
	G1051219	19mm	1
	G1051221	21mm	1
	G1051222	22mm	1
1/2"单色绝缘注塑H型公制旋具套筒 1/2" Insulated Bit Socket for Hexagon Screws	G1052204	H4	1
	G1052205	H5	1
	G1052206	H6	1
	G1052208	H8	1
双色绝缘注塑圆头电缆刀 Insulated Cable Knife	G1052210	H10	1
	G103001	208mm	1
双色绝缘注塑剪刀 Insulated Scissors	G1087001	160mm	1
非接触式电笔 Non-Contact Voltage Detector	/	60-1000V	1
绝缘胶带 Insulated Tape	/	10m	1